


Εύκαμπτοι σύνδεσμοι Κόπλερ Flexible Couplings





VALIADIS S.A.
HELLENIC MOTORS

ΕΥΚΑΜΠΤΟΙ ΣΥΝΔΕΣΜΟΙ
ΚΟΠΛΕΡ-FLEXIBLE COUPLINGS



ATHENS: Gr. Lambraki 18, GR 141 23 Likovrissi
Tel.: +30 210 28 17 217 Fax.: +30 210 2814 277
e-mail: valiadis@valiadis.gr

THESSALONIKI: Ind. Park of SINDOS, GR 570 22 Sindos
Tel: +30 2310 796 646 Fax.: +30 2310 796 645
e-mail: thessaloniki@valiadis.gr


ROMANIA: 1, Aleea Meseriasilor Bloc C93, Sc.A, Etaj 2, Ap.16 Sector
6, Oficiul Postal 66 061647 Bucharest.
Tel.: +4021 413 59 02 Fax.: +4031 815 64 41
e-mail: romania@valiadis.gr

General website: <http://www.valiadis.gr>



ΕΥΚΑΜΠΤΟΙ ΣΥΝΔΕΣΜΟΙ- ΚΟΠΛΕΡ - FLEXIBLE COUPLINGS

REX



ΔΙΑΣΤΑΣΕΙΣ-DIMENSIONS

No	D (mm)	D1 (mm)	D _{min} (mm)	D _{max} (mm)	I (mm)	a (mm)	b (mm)	z (mm)	Βάρος (kg)
1	70	30	-	18	30	8	2-4	2-4	0,8
2	80	40	-	22	35	12	27	2-4	1,4
3	90	55	-	25	46	14	36	2-4	2,35
4	100	65	-	30	51	18	40	2-4	3,35
5	120	70	20	35	57	23	44	2-4	5
6	150	85	24	40	72	30	56	2-4	8,5
7	170	90	30	50	79	35	62	3-6	12
8	210	100	35	60	83	38	66	3-6	20,35

ΜΕΤΑΔΙΔΟΜΕΝΗ ΙΣΧΥΣ / TRANSMITTABLE POWER


Revolutions/minute - rpm					
			Ισχύς - Power		
No	D (mm)	rpm _{max}	2.800rpm	1.440rpm	920rpm
			HP/kW	HP/kW	HP/kW
1	70	8.200	3,0/2,2	1,6/1,2	1,0/0,7
2	80	7.700	4,0/2,9	2,1/1,5	1,3/0,9
3	90	7.200	5,0/3,7	2,6/1,9	1,7/1,2
4	100	6.500	10,0/7,4	5,2/3,8	3,2/2,4
5	120	5.200	24,0/17,7	12,5/9,2	8,0/5,9
6	150	4.000	37,0/27,2	18,5/13,6	12,0/8,8
7	170	3.600	63,0/46,3	32,0/23,6	20,0/14,7
8	210	3.100	125,0/92,0	64,0/47,0	37,5/27,6

ATHENS: 18, Gr. Labraki Str., 141 23 Likovrisi Tel: +30210-2817217
Fax: +30210-2814277

THESSALONIKI: INDUSTRIAL AREA OF SINDOS., O.T. 48B, 15th STREET, 570 22
Tel: +302310-796646, Fax: +302310-796645
e-mail: valiadis@valiadis.gr - <http://www.valiadis.gr>



MAX-REX



ΔΙΑΣΤΑΣΕΙΣ-DIMENSIONS

No	D (mm)	D1 (mm)	A (mm)	B (mm)	d _{min} (mm)	d _{max} (mm)	Βάρος (kg)
1	71	62	25	40	10	32	1,7
2	85	75	32	47	12	40	2,4
3	112	100	40	63	15	55	7
4	130	110	50	75	20	63	10
5	181	125	55	87	30	70	17
6	225	150	66	106	38	95	30
7	275	181	75	127	50	110	54

ΜΕΤΑΔΙΔΟΜΕΝΗ ΙΣΧΥΣ / TRANSMITTABLE POWER

Revolutions/Minute - rpm						
Ισχύς - Power						
No	rpm _{max}	100rpm	720rpm	960rpm	1440rpm	2880rpm
		HP/kW	HP/kW	HP/kW	HP/kW	HP/kW
1	8.200	0,45/0,33	3,23/2,38	4,31/3,17	7,83/5,76	15,66/11,52
2	7.700	1,14/0,84	8,22/6,05	10,76/8,06	16,45/12,1	32,91/24,2
3	7.200	2,28/1,68	16,45/12,1	21,93/16,13	32,91/24,2	65,82/48,40
4	6.500	4,48/3,30	32,31/23,76	43,08/31,68	64,62/47,52	129,74/95,04
5	5.200	11,39/8,38	82,06/60,34	109,41/80,45	164,12/120,68	328,21/241,36
6	4.000	22,78/16,75	164/120,6	218,68/160,80	328,00/241,2	656,06/482,4
7	3.600	44,70/32,90	323/237,46	430,58/316,61	645,90/474,92	

ATHENS: 18, Gr. Labraki Str., 141 23 Likovrisi Tel: +30210-2817217
Fax: +30210-2814277

THESSALONIKI: INDUSTRIAL AREA OF SINDOS., O.T. 48B, 15th STREET, 570 22
Tel: +302310-796646, Fax: +302310-796645
e-mail: valiadis@valiadis.gr - <http://www.valiadis.gr>



VALIADIS
Hellenic Motors